

# PUBLIC NOTICE

This is to inform to all concerned that the State Level Environment Impact Assessment Authority (SEIAA), Telanagana State, Government of India, Ministry of Environment, Forests & Climate Change accorded Environmental clearance to Divis Laboratories Ltd, Lingojugudem (village), Choutuppall (Mandal), Yadadhri Bhongir District for proposed expansion of Synthetic Organic Chemicals Manufacturing Unit Dated : 03-02-2017 and a copy of the clearance letter is available with State Pollution Control Board, and SEIAA, Telanagana State.

Sd/- Divis Laboratories Ltd  
(Authorised Signatory)



REGD. POST WITH ACK. DUE

Order No. SEIAA/TS/OI/NLG-02/2015-

DT:03.02.2017.

Sub: SEIAA, TS - M/s. Divi's Laboratories Limited (Unit-1), Sy. No. 302, Lingojigudem (V), Choutuppal (M), Nalgonda District - Environmental Clearance (Expansion) - Issued - Reg.

1. This has reference to your application submitted online on 29.08.2016 & EIA report submitted online on 09.12.2016 (proposal no. SIA/TC/IND2/17950/2016) received on 23.12.2016 and subsequent ltr.dtd.24.10.2016 seeking Environmental Clearance for the proposed expansion of Synthetic organic chemicals manufacturing unit in the name of M/s. Divi's Laboratories Limited (Unit-1), Sy. No. 302, Lingojigudem (V), Choutuppal (M), Nalgonda District. The nearest human habitation viz., Lingojigudem (V) exists at a distance of 2.0 km from the project site. The total area of the site for expansion is Ac.15.35 in Sy.No.302. Whereas, the total site area as per EC order dt.10.06.2008 is Ac. 500 (202.3 Ha.). Out of that, area earmarked for development of Green belt is 92.8 Ha. The total cost of the project for expansion is Rs. 75.5 Crores and the production capacity of the project after expansion is as following:

S. No	Product	Quantity (Kgs/day)	Quantity (TPA)
<b>A</b>	<b>Fixed Products</b>		
1	Naproxen	2761.64	1008
2	Dextromethorphan HBr	685	250
3	Iopamidol	493	180
4	Nabumetone	274	100
5	Valacyclovir.HCl	274	100
6	Levetiracetam	1315.1	480
	<b>Sub Total</b>	<b>5802.74</b>	<b>2118</b>
<b>B</b>	<b>Campaign products</b>		
7	A - Wing	123	45
8	B - Wing	246.6	90
9	Proguanil HCl	21.9	08
10	Sulphazine	13.7	05
11	Zolpidem Tartrate	2.74	01
12	Quetiapine	13.5	05
13	Atovaquone	65.8	24
14	Carvedilol	11	04
15	Lamotrigine (Stage-2)	274	100
16	Marcoumar	5.5	02
17	N-Hydroxy Succinimide	41.1	15
18	Niacin	274	100
19	Free Amine Pivalate Ester	207.1	75.6
20	Risedronate Sodium	0.55	0.2
21	Desloratadine	5.5	02
22	Methoxy Morphinan HCl	5.5	02

S. No	Product	Quantity (Kgs/day)	Quantity (TPA)
23	Fosphenytoin Sodium	1.37	0.5
24	Nateglinide	8.1	03
25	Diltiazem HCl	82.2	30
26	Thiol Acid	8.2	03
27	R-amine	2.74	01
28	Apocartenal	1.9	0.7
29	EF-9	0.5	0.2
30	2-Cl-3, 4-Pmboxy-Benzamide	1.37	0.5
31	N-Boc-Ethylenediamine	22	08
32	Fumaraldehyde Bis (Dimethyl acetal)	68.5	25
33	CME	137	50
<b>Sub Total</b>		<b>1645.37</b>	<b>600.7</b>
<b>Grand Total</b>		<b>7448.11</b>	<b>2718.7</b>
<b>Maximum production capacity on Campaign Basis (i.e. Worst case: 6 fixed products and any 10 products at a point of time)</b>		<b>7322.04</b>	<b>2672.6</b>
<b>R&amp;D Products</b>		<b>5.5 kgs/day</b>	

- II. In the process, synthetic organic chemicals are produced by using various chemicals, solvents, etc.,
- III. The proposal has been examined and processed in accordance with EIA Notification, 2006 and its amendments thereof. The State Level Expert Appraisal Committee (SEAC) examined the application in its meetings held on 29.09.2016, 25.10.2016 & 30.12.2016. The SEAC observed that though the total site area of the project is Ac.500, the proponent proposed the expansion only in Sy.No.302 of area Ac.15.35 which is notified and hence the SEAC considered the project. The Sub-Committee constituted by the SEAC inspected the site and submitted the report. The project is exempted from the process of Public Hearing as the industry is located in a Notified Industrial Area existing since 1990's, as per OM dt. 10.12.2014 of the MoEF&CC, GoI. Based on the information furnished, presentation made by the proponent and the consultant M/s. Ramky Enviro Engineers Ltd., Hyderabad; Certified Compliance Report dt. 28.09.2016 issued by the Regional Office, MoEF&CC, GoI, as per Circular dt.30.05.2012 of MoEF&F, GoI; report of the Sub-Committee; G.O.Ms. No. 95, dt. 21.09.2007 of the EFS&T Dept., GoAP; G.O.Ms. No. 64, dt. 25.07.2013 of the EFS&T Dept., GoAP; G.O.Ms. No. 120, dt. 22.10.2013 of the I&C Dept., GoAP; G.O.Ms. No. 44, dt. 08.09.2016 of the I&C (IP&INF) Dept., GoTS; G.O.Ms.No. 47 dt. 02.07.2016 of I&CAD (Reforms) Dept., GoTS for withdrawal of 0.01 TMC / Annum of water from Musi River from the utilized Minor Irrigation allocations in K-10 Sub-basin of Krishna River; undertaking submitted by the proponent that they will go for expansion only in Sy.No. 302; the Committee considered the project proposal and recommended for issue of Environmental Clearance. The State Level Environment Impact Assessment Authority (SEIAA) in its meeting held on 27.01.2017 examined the proposal and recommendations of SEAC for issue of Environmental Clearance for Expansion considering the expansion in an area of 15.35 acres only in Sy.No.302 of Lingojigudem (V), Choutuppal (M), Nalgonda District. Accordingly, after discussions in the matter and considering the recommendations of the SEAC, the SEIAA, Telangana hereby accords Environmental Clearance to the project for Expansion as mentioned at Para no. I under the provisions of the EIA Notification 2006 and its subsequent amendments issued under Environment (Protection) Act, 1986 subject to implementation of the following specific and general conditions:

**A. Specific Conditions:**

**i. Air pollution:**

- i After expansion, the emissions from the coal fired Boilers of capacity 24 TPH (Proposed - Standby), 24 TPH (Existing) & 16 TPH (Existing) shall be routed through ESP & Bag filters followed by stacks of height 40m each. The concentration of particulates in the emission shall not exceed 115 mg/Nm<sup>3</sup>. Thermic fluid heater (2x8 lakh kcal/hr) shall be provided with a stack of height 30m. Incinerator of capacity 1x9 TPD shall be routed through Multi Cyclone followed by Ventury Scrubber followed by stack of height 40m. Sampling Port with removable dummy of not less than 15cm diameter in the stack at a distance of 8 times the diameter of the stack from the nearest constraint such as bends etc. shall be provided to monitor stack emissions. Stacks of adequate height shall be provided for D.G. Sets of capacity 2x320 kVA (existing), 2x625 kVA (existing), 1x1250 kVA (existing), 1x750 kVA (proposed), 4x1250 kVA (proposed) & 1x1500 kVA (proposed) as per CPCB norms.
- ii National Emission Standards for Organic Chemicals Manufacturing Industry issued by the Ministry vide G.S.R. 608(E) dated 21<sup>st</sup> July, 2010 and amended time to time shall be followed by the unit.
- iii The process emissions containing NH<sub>3</sub>, CO, Br, H<sub>2</sub>S, SO<sub>2</sub>, HCl & HBr shall be routed through multi stage scrubber system. Scrubbed liquid shall be treated and reused or subjected to MEE. The process emissions containing derivatives of H<sub>2</sub>, CO<sub>2</sub> & Oxygen shall be dispersed into the atmosphere. The industry shall also provide online pH monitoring system for scrubber. The industry shall meet the emission standards notified by the MoEF.
- iv Necessary measures shall be taken to control odour as far as possible. Chillers (brine solution) shall be installed to reduce solvent evaporation losses into the atmosphere. All the solvent storage tanks shall be connected to vent condensers. Regular monitoring of the VOCs shall be carried out using sensors.
- v The solvents shall be recovered by installing fractional distillation columns. The recovered solvents shall be reused in the process or sold to recyclers authorized by TSPCB. The volatile vapours generated during process shall be routed through condensers and the condensate shall be reused in the plant.
- vi As proposed, green belt of 92.8 Ha shall be developed within plant premises with at least 10 meter wide green belt on all sides along the periphery of the project area, in downward direction and along road sides etc., Selection of plant species shall be as per the CPCB guidelines in consultation with the DFO.
- vii Raw materials shall be transported in covered trucks. Raw materials shall be stored under sheds. All the belt conveyors shall be covered with G.I. sheets. Appropriate dust suppression system shall be provided all around the stockpiles and conveyor system. All the roads in the plant area shall be asphalted / concreted and water shall be sprinkled to suppress the dust.
- viii Ambient air quality including ambient noise levels must not exceed the standards stipulated under Notification dt. 16.11.2009 issued by the MoEF&CC, GoI. Monitoring of ambient air quality and stack emissions shall be carried out regularly in consultation with TSPCB.

**b) Water Pollution:**

- i The source of water is Bore-wells within plant site, RWS Borewells and from Musi River as per G.O.Ms.No. 47 dt. 02.07.2016 of I&CAD (Reforms) Dept., GoTS. The total water requirement after expansion shall not exceed 2227 KLD (i.e., Fresh Water of 1030 KLD & Recycled treated waste water of 1197 KLD). Quantity of water used for: Process is 215 KLD; washings is 142 KLD; boiler make-up is 700 KLD; Cooling tower makeup is 700 KLD; DM / Softener 150 KLD; Scrubber is 20 KLD and Domestic purposes is 300 KLD.

- ii. The total waste water generated after expansion shall not exceed 1340 KLD. Out of that, 215 KLD is from Process; 185 KLD is from washings; 70 KLD is from Boiler blow down; 420 KLD is from cooling tower bleed off; 150 KLD is from DM / Softener; 20 KLD is from Scrubber; 280 KLD is from Domestic section.
- iii. The high TDS and low TDS effluents generated from the process are to be separated and treated separately. The high TDS effluents shall be disposed into stripper followed by MEE and ATFD. The condensate shall be reused in cooling towers after necessary treatment. The LTDS effluents shall be treated in an ETP followed by RO system. The permeate is to be re-used in the plant and rejects are to be sent to MEE system. The treated effluents shall be recycled completely. The project proponent shall achieve Zero Liquid Discharge and in no case the effluent shall be discharged outside the factory premises. The volatile organics shall be sent to recyclers authorized by TSPCB.
- iv. The proponent shall provide separate storm water drains and harvest the rainwater from the rooftops to recharge the ground water.
- v. Automatic / online monitoring system (24 x 7 monitoring devices) for flow measurement and relevant pollutants in the treatment system to be installed. The data to be made available to the respective SPCB and in the Industry's website.
- vi. The industry shall install IP Camera with PAN, TILT Zoom, 5x or above focal length, with night vision capability and flow meters in the channel / drain provided for carrying the effluent from within the premises of the unit.

**c) Solid Waste :**

- i. Hazardous waste generated from the industry such as waste oils, used oils etc., shall be disposed as per the Hazardous Wastes (Management, Handling, and Transboundary movement) Rules, 2008 and its amendments thereof to the recyclers authorized by TSPCB.
- ii. The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All Transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.
- iii. The proponent shall comply with the following w.r.t. Solid Waste generated after expansion:

S. No	Description	Quantity	Disposal
1	Process residues	5389 Kg/day	TSDF for incineration / Authorized Cement plants for Co-processing / Onsite Incineration
2	Solvent Residue		
3	Spent carbon		
4	Forced Evaporation salts	24,868 Kg/day	TSDF for landfill/ Authorized Vendors
5	ETP sludge	1800 Kg/day	
6	Incineration ash	9.0 Kg/day	
7	Sodium chloride	157 Kg/day	Disposed to authorized recovery units / TSDF for land filling.
8	By products from Process	1965 Kg/day	Disposed to authorized recovery units / Authorized Cement plants for Co-processing.
9	Spent catalyst	80 Kg/day	Shall be disposed to TSDF / returned to supplier for recovery.
10	Spent solvents	139 KLD	Recovered within the own premises / sent to authorized recovery units.
11	Mixed spent solvents	123 KLD	Shall be recovered within the own premises / sent to authorized recovery units.

S. No	Description	Quantity	Disposal
12	Spent acids	24 KL/D	Shall be recovered and recycled within industry / authorized units.
13	Used oil / Waste lubricating oil	18 L/day	Shall be disposed to authorized Re-processors / recyclers.
14	Detoxified containers & liners of HW & Haz.Chemicals, MS drums HDPE drums Carboys, Container liners	374 Nos/day	After complete detoxification sent back to suppliers.
15	E-Waste	0.85 Kg/day	Authorized recyclers / Re-processors.
16	Spillages / Rejected Materials	3.5 Kg/day	Incineration at onsite / TSDF for landfill / Transfer to authorized cements plants for co-processing.
17	Waste Insulation / Glass wool	20 Kg/day	Authorized recyclers / Re-processors
18	Used Lead acid batteries	6.0 Nos /month	Disposed to manufacturers / dealers on buy back basis.

**B. General Conditions:**

- This order is valid for a period of 7 years.
- "Consent for Establishment" shall be obtained from Telangana State Pollution Control Board under Air and Water Act before the start of any activity / construction work at site.
- This order is issued subject to outcome of the cases (if any), pending in the National Green Tribunal, Southern Zone, Chennai or in any other court.
- The industry shall not manufacture any other products and exceeding capacities except those mentioned in this order, without permission.
- Provision shall be made for the housing of the construction labour within the site with all necessary infrastructure and facilities such as safe drinking water, fuel for cooking, mobile toilets, mobile STP, medical health care, crèche etc., The housing may be in the form of temporary structures to be removed after the completion of the project. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- No change in the process technology and scope of working should be made without prior approval of the SEIAA, TS. No further expansion or modifications in the plant shall be carried out without prior approval of the SEIAA, TS/ MoEF&CC, GoI, New Delhi, as applicable.
- The environment safeguards contained in the EIA Report should be implemented in letter and spirit. The responsibility of implementation of environmental safeguards rests fully with the proponent ie., M/s. Divi's Laboratories Ltd.
- All the conditions, liabilities and legal provisions contained in the EC shall be equally applicable to the successor management of the project in the event of the project proponent transferring the ownership, maintenance of management of the project to any other entity.
- The proponent shall submit half-yearly compliance reports in respect of the terms and conditions stipulated in this order in hard and soft copies to the SEIAA; and CCF, Regional office of MoEF&CC, GoI, Chennai on 1<sup>st</sup> June and 1<sup>st</sup> December of each calendar year.

- x. Four ambient air quality-monitoring stations should be established in the core zone as well as in the buffer zone for RSPM, SPM, PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub>, NO<sub>x</sub> monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.
- xi. Data on ambient air quality (RSPM, SPM, PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub>, NO<sub>x</sub>) should be regularly submitted to the Ministry including its Regional Office located at Chennai and the State Pollution Control Board/ Central Pollution Control Board once in six months.
- xii. Usage of Personnel Protection Equipments by all employees / workers shall be ensured.
- xiii. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
- xiv. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.
- xv. The Industry shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms.
- xvi. A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.
- xvii. The funds earmarked for environmental protection measures (capital cost of Rs. 740 Lakhs and recurring cost of Rs. 74 Lakhs per annum) & also the funds earmarked for Corporate Social Responsibility (CSR) activities, should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the SEIAA, Ministry and its Regional Office located at Chennai.
- xviii. Officials from the Regional Office of MoEF&CC, GoI, Chennai who would be monitoring the compliance of the stipulated conditions and implementation of environmental safeguards should be given full co-operation, facilities and documents/data by the project proponents during their inspection. A complete set of all the documents shall be submitted to the CCF, Regional Office to MoEF&CC, GoI, Chennai.
- xix. The project proponent shall submit the copies of the environmental clearance to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- xx. The project authorities should advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and SEIAA, Telangana. This order shall be displayed in the website of the project proponent.
- xxi. Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- xxii. The company shall undertake eco-development measures including community welfare measures in the project area.
- xxiii. The proponent shall obtain all other mandatory clearances from respective departments.
- xxiv. Concealing the factual data or failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.

xxv. The SEIAA may revoke or suspend the order, if implementation of any of the above conditions is not satisfactory. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of environment protection.

xxvi. The above conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with their amendments and rules.

Sd/-  
MEMBER SECRETARY  
SEIAA, T.S.

Sd/-  
MEMBER  
SEIAA, T.S.

Sd/-  
CHAIRMAN,  
SEIAA, T.S.

To

Sri. S. Ramakrishna, General Manager,  
M/s. Divi's Laboratories Limited (Unit-1),  
Lingojigudem (V), Choutuppal (M),  
Nalgonda District. AP- 508 252,  
Ph.No. 8694-257001,  
Email.id [mail@divislaboratories.com](mailto:mail@divislaboratories.com)

//T.C.F.B.O//

*Dep't*  
SENIOR ENVIRONMENTAL ENGINEER  
*ft* (Unit Head - III)



REGD.POST WITH ACK.DUE

Order No. SEIAA/TS/OL/YDR-03/2017-

Dt:03.08.2017

**Sub: SEIAA, TS - M/s. Divi's Laboratories Limited (Unit-1), Sy. No. 302, Lingojigudem (V), Choutuppal (M), Yadadri (formerly Nalgonda) District - Amendment to Environmental Clearance - Issued - Reg.**

**Ref:** 1. Order No. SEIAA/TS/OL/NLG-02/2015-3077, dt. 03.02.2017.  
2. Representation submitted online (proposal no.SIA/TG/IND2/19612/2017) on 15.06.2017 received on 21.06.2017.

- I. Earlier, the SEIAA, Telangana vide reference 1<sup>st</sup> cited had issued Environmental Clearance for Expansion of **Synthetic Organic Chemicals manufacturing unit** in the name of **M/s. Divi's Laboratories Limited (Unit-1), Sy. No. 302, Lingojigudem (V), Choutuppal (M), Nalgonda District** mentioning "The total area of the site for expansion is Ac.15.35 in Sy.No.302. Whereas, the total site area as per EC order dt.10.06.2008 is Ac. 500 (202.3 Ha.). Out of that, area earmarked for development of Green belt is 92.8 Ha." keeping in view of the G.O.Ms. No. 44, dt. 08.09.2016 of the I&C (IP&INF) Dept., GoTS.
- II. The proponent vide reference 2<sup>nd</sup> cited informed the I&C (IP&INF) Dept., GoTS vide Memo dt.05.06.2017 issued orders that M/s. Divi's Laboratories Ltd., in Sy.Nos. 238, 247 to 250, 260 to 279 & 289 to 293 of Lingojigudem (V) and Sy.Nos. 505 & 506 of Aregudem (V) of Choutuppal (M), Yadadri District are also declared as Notified Industrial Areas in implementation of the Orders issued in G.O.Ms.No.120, dt.22.10.2013 & G.O.Ms.44, dt.08.09.2016. The extent of area of all the Sy.Nos. mentioned above is Ac.507.32 Guntas. Hence, it was requested to issue amendment to EC.
- III. The request of the proponent was examined by the State Level Expert Appraisal Committee (SEAC) in its meeting held on 28.06.2017. Based on the information furnished and Memo dt.05.06.2017 issued by the I&C (IP&INF) Dept. of GoTS, the Committee considered the request of the proponent and recommended to issue amendment to the EC order. The State Level Environment Impact Assessment Authority (SEIAA), in its meetings held on 10.07.2017 & 11.07.2017 examined the request of the proponent and the recommendations of SEAC, and decided to issue amendment to the Environmental Clearance. Hence, the following amendments are made to the EC order issued vide reference 1<sup>st</sup> cited:

(a) The location of the project mentioned in the EC Order shall be read as "Sy.No. 238, 247 to 250, 260 to 279 & from 289 to 293 & 302 of Lingojigudem (V) and Sy.No. 505 & 506 of Aregudem (Hamlet of Pantangi Village) of Choutuppal (M), Yadadri District".

(b) The total site area after expansion mentioned in Para I shall be read as "Ac.507.32 Guntas".

(c) The following additional condition no. vii shall be inserted after condition no. vi under b)  
Water Pollution in A Specific Conditions:

The proponent shall regularly monitor the water quality of: in & around water bodies on downstream side of the project site and submit monitoring reports to the TSPCB.

IV. All other information mentioned and conditions stipulated in the EC order issued vide reference 1<sup>st</sup> cited remain the same.

Sd/-  
MEMBER SECRETARY  
SEIAA, T.S.

Sd/-  
MEMBER  
SEIAA, T.S.

Sd/-  
CHAIRMAN,  
SEIAA, T.S.

To

Sri. S. Ramakrishna, General Manager,  
M/s. Divis Laboratories Limited (Unit-I),  
Lingojigudem (V), Choutuppal (M),  
Nalgonda District. AP - 508 252,  
Ph.No. 8694 257001,  
Emailid [mail@divislaboratories.com](mailto:mail@divislaboratories.com)

Copy to:

1. Prof. Ch. Krishna Reddy, Chairman, SEAC, Telangana for kind information.
2. The Member Secretary, TSPCB for kind information.
3. The EE, RO: Nalgonda, TSPCB for information.
4. The Regional Officer, MoEF&CC, GOI, Chennai for kind information.
5. The Secretary, MoEF&CC, GOI, New Delhi for kind information.

//T.C.F.B.O//

Joint Chief Environmental Engineer  
(Unit - I)